APICS International Conference & Expo, October 23-25, Pittsburgh, Pennsylvania, USA Visit Simio LLC Booth 604

Introducing New **RISK MANAGEMENT** Tools:

How to Mitigate Delivery Schedule Risk Early, at the Individual Order Detail Level, While Avoiding Cost

How to Consider Risk in Supply Chain and Production Planning/Scheduling How to Report Individual Order Probability for On-Time Delivery How to Reduce Cost of Goods Sold in 1/10th % Increments with Risk-based Planning/Scheduling (RPS)

By C. Dennis Pegden, Ph.D.

Visit us at booth 604!

Executive Summary:

What if you could use simulation models for risk-based planning and scheduling, and accurately forecast the probability of individual order deliveries – enabling corrective action before issues become problems?

Until recently, unavoidable variations in production made this impossible. No matter how strong the original plan, these variations made every schedule turn infeasible over time, resulting in production delays or unanticipated costs.

However, now there is a new tool, risk-based planning and scheduling (RPS), which can account for the underlying risk imposed by variations in the system. This new tool goes beyond the traditional use of simulation for assessing alternative designs. Instead, it directly supports the use of models within an operational setting to improve the odds of achieving everyday production, operational, and financial targets that are key drivers to the overall success of a manufacturing operation.

Risk-based Planning and Scheduling (RPS) is the application of simulation methodology to operational planning and scheduling. The basic concept is to leverage the predictive power of simulation models to improve the daily operations of a system.

In a traditional simulation application, the model compares alternative system designs to make improvements to the system. For example in an assembly plant application, you might use a simulation model to determine the number and type of each machine at your workstations, as well as learned operator skills, material delivery, and production strategies. Once you have designed your production system, you are done with the model until you revisit the design at some point in the future. In these traditional simulation applications, you only make use of the model on an occasional basis, when evaluating fundamental changes to the underlying system design.

RPS provides value in day-to-day planning and scheduling

In contrast, with RPS, you can use your model on a daily basis to help re-schedule your system operations on-the-fly. Hence the model delivers value on a continuous, ongoing basis. The basic purpose of the RPS model is to determine the best sequence for a set of tasks across a limited set of resources. In an assembly manufacturing operation, you could use an RPS model to compare the master plan and schedule to the actual production of orders, based on current conditions in your facility. Your model could be used on an ongoing basis to forecast risk, cost and quality of the individual order delivery schedule days -- weeks or months prior to the actual work. This gives you more time to mitigate the risk while managing the cost of change.

In an operational setting, the RPS model works with actual data for individual transactions. In an assembly plant application, the model would process a specific list of production orders, using actual routings and expected processing times, expected material arrival dates, etc. This data is typically downloaded to the model from the MRP or ERP system. Although there is typically variation in things like processing times, material arrival dates, etc., the planning and scheduling is done with all deterministic values. All randomness that is normally present is removed, and all times are assumed to be their expected values. Likewise, all unplanned events such as machine breakdowns, workers calling in sick, etc., are eliminated from the RPS model execution. This is necessary because it is not possible to develop a detailed plan or schedule that incorporates variation and unplanned events.

This document is mailed by Simio LLC. The ideas and opinions expressed in this document regarding Simio LLC products or services are those of Simio LLC only. No endorsement by APICS can be claimed regarding Simio LLC ideas, opinions, products or services. www.simio.com © Copyright 2011 Simio LLC Page 1

APICS International Conference & Expo, October 23-25, Pittsburgh, Pennsylvania, USA Visit Simio LLC Booth 604

The output from the traditional RPS model is often viewed in the form of a Gantt chart that shows individual transactions across resources and over time. In the following simple example, there are five orders to assemble that are processed across five workstations (Drill, Weld, Paint, Cut and Shape). Order 04 is first processed at the Cut station, it then moves to Shape, followed by a Drill operation. The simulation model generates this production plan by simulating the actual movement of these five orders through a detailed model of the limited resources in the system. The model logs the start and stop time for each order on



each resource, and these times are then used to display the schedule in the Gantt chart.

To generate this schedule the model assumes all deterministic times and no unplanned events. However in actual systems there are many sources of variation and unplanned events. For example, the Weld station has a machine that might break and need repair, or the actual task time for Order 05 at the Cut station might be 10% longer than planned.

The challenge: How to account for variation and unplanned events

A deterministic plan is by nature optimistic, and it is rare that the plan is actually met. In typical applications the actual system performance degrades over time compared to the plan, and then at some point the plan is either ignored or regenerated to reflect the variations that have occurred. It's important to realize that this does not mean that the plan was faulty; it's just the basic nature of any deterministic plan, no matter how "optimal" the plan appears from the start. A "good" deterministic plan will migrate over time towards a "bad" plan as actual variations occur in the real system relative to the deterministic plan.

There are many sources of variation in most real systems that cause this migration from a good plan to a bad plan. Task times typically vary from their expected times, resources will often not be available as planned, and required materials may not arrive on their expected dates. In addition, machines may break, and workers may be absent or perform poorly because they are sick or distracted. Although these variations are not included when the simulation model generates a plan, they directly impact the ability of your real system to meet your plan.

In planning and scheduling applications, you often have targets that you wish to meet for individual transactions

being processed by your system. In a production system, for example, you might have targets related to delivery dates for each individual order, as well as activity-based costing assigned to each order. A feasible plan or schedule is defined as one where all targets are met by the plan/schedule. When you run the model, you generate your operational plan -- and this plan may or may not be feasible relative to the targets you have set. You can then use the model to try "what if" scenarios -- such as adding overtime, changing/splitting production batches, etc. -- to achieve a feasible plan.





This document is mailed by Simio LLC. The ideas and opinions expressed in this document regarding Simio LLC products or services are those of Simio LLC only. No endorsement by APICS can be claimed regarding Simio LLC ideas, opinions, products or services. www.simio.com © Copyright 2011 Simio LLC Page 2

APICS International Conference & Expo, October 23-25, Pittsburgh, Pennsylvania, USA Visit Simio LLC Booth 604

in such a way that all orders ship by their due date, variation in the system may cause one or more orders to ship late. As a decision-maker, you would benefit from knowing in advance the risk associated with each transaction meeting each of the planned targets. In the example above, you have a target ship date for Order 04 (indicated by the light-gray rectangle), and you might want to know the likelihood that the order will ship by this date.

<u>Hence, having a feasible plan is not adequate; what you need is a feasible plan that falls within your risk</u> <u>tolerances for meeting your critical targets.</u>



its feasibility at the time that the plan is generated, but also on the robustness of the plan over time. Then you can known the underlying risk associated with hitting each target that has been defined for each individual transaction that you are planning (Order-02, 47% probability of being on-time). This provides you with the ability to plan critical operations while fully accounting for the underlying risk imposed by variations in the system.

New simulation tools bring speed, ease-of-use, risk analysis and cost avoidance to planning and scheduling – Visit Simio LLC (Booth 604)

To implement RPS, a new set of simulation tools are required that focus on this general application area. <u>Simulation tools of the past are not designed or equipped to work in this environment</u>. These new RPS tools must support rapid modeling and easily and flexibly interface to a wide range of enterprise data that is typically held in spreadsheets, data bases, or MRP/ERP/SCM systems. These tools must also make it easy to define and properly evaluate alternatives without requiring sophisticated modeling skills or knowledge of statistics. And finally, these tools must go beyond the traditional use of simulation for comparing alternative designs, to providing risk analysis that is expected to avoid the cost of goods sold in increments one tenth of one percent thus significantly contributing to the overall success of an assembly plant.

One such set of RPS tools, from Simio LLC, has been implemented in multiple, discrete product assembly environments. Prior to these commercial implementations, a U.S. provisional application was filed by Dr. Pegden, founder and chief executive officer of Simio LLC, and the invention has a patent pending.

#



About the Author: C. Dennis Pegden, Ph.D. Simio LLC founder and chief executive officer. Dennis led the development of the SLAM, SIMAN, Arena, and Simio simulation tools. He co-authored three simulation textbooks and has published papers in a number of fields including scheduling and simulation. dennis_pegden@simio.com

This document is mailed by Simio LLC. The ideas and opinions expressed in this document regarding Simio LLC products or services are those of Simio LLC only. No endorsement by APICS can be claimed regarding Simio LLC ideas, opinions, products or services. www.simio.com © Copyright 2011 Simio LLC Page 3